RoofScope®

Advantage Apartments

Project Totals

Total Roof Area	-	**1935.01 SQ**
Standard Slope (4:12-6:12)	-	1247.49 SQ
Steep Slope (7:12 or greater)	-	687.52 SQ
High Roof (over 1 story)	-	1809.52 SQ
IWB (Ice & Water Barrier)	-	47473.6 SF
Roof Planes	-	708
Structures	-	11
Eave	-	8180.3 LF
Rake	-	8569.7 LF
Total Perimeter	-	16749.9 LF
Ridge	-	5911.9 LF
Hip	-	3628.2 LF
Valley	-	8418.3 LF
Slope Change	-	25.5 LF
Step Flashing	-	7209.4 LF
Headwall Flashing	-	1762.2 LF



Structure Name - Count

Structure 1 - 2
Structure 2 - 2
Structure 3 - 2
Structure 4 - 3
Structure 5 - 1
Structure 6 - 1

Waste Factor (Total Roof Area)

4%	-	2012.41 SQ	7%	-	2070.46 SQ	10%	-	2128.51 SQ	13%	-	2186.56 SQ
5%	-	2031.76 SQ	8%	-	2089.81 SQ	11%	-	2147.86 SQ	14%	-	2205.91 SQ
6%	-	2051.11 SQ	9%	-	2109.16 SQ	12%	-	2167.21 SQ	15%	-	2225.26 SQ

THIS REPORT IS FOR ESTIMATION PURPOSES ONLY. VERIFY ALL DIMENSIONS AND TOTALS BEFORE PURCHASING MATERIALS.
THIS REPORT IS THE PROPERTY OF SCOPE TECHNOLOGIES, INC. AND MAY NOT BE REPRODUCED WITHOUT WRITTEN CONSENT.

ScopeTechnologies

RoofScope®

Advantage Apartments

Project Totals - Structure 1

Total Roof Area	-	**209.27 SQ**
Standard Slope (4:12-6:12)	-	139.36 SQ
Steep Slope (7:12 or greater)	-	69.92 SQ
High Roof (over 1 story)	-	204.65 SQ
IWB (Ice & Water Barrier)	-	5123.6 SF
Roof Planes	-	83
Structures	-	1
Eave	-	875.9 LF
Rake Edge	-	777.4 LF
Total Perimeter	-	1653.3 LF
Ridge	-	615.1 LF
Hip	-	445.5 LF
Valley	-	955.4 LF
Step Flashing	-	684.3 LF
Headwall Flashing	-	201.1 LF



Waste Factor (Total Roof Area)


4%	-	217.64 SQ	7%	-	223.92 SQ	10%	-	230.20 SQ	13%	-	236.48 SQ
5%	-	219.74 SQ	8%	-	226.01 SQ	11%	-	232.29 SQ	14%	-	238.57 SQ
6%	-	221.83 SQ	9%	-	228.11 SQ	12%	-	234.39 SQ	15%	-	240.66 SQ

THIS REPORT IS FOR ESTIMATION PURPOSES ONLY. VERIFY ALL DIMENSIONS AND TOTALS BEFORE PURCHASING MATERIALS.
THIS REPORT IS THE PROPERTY OF SCOPE TECHNOLOGIES, INC. AND MAY NOT BE REPRODUCED WITHOUT WRITTEN CONSENT.

ScopeTechnologies

Roof Area Analysis - Structure 1
Advantage Apartments

Totals (SQ)		
5:12	-	139.4
8:12	-	69.9
Steep	-	69.9
High	-	204.7



Plane	Area(sf)	Pitch	Slope	High	IWB(sf)
A	183	5:12			195
B	12	8:12	S	H	66
C	56	8:12	S	H	18
D	347	8:12	S	H	117
E	90	5:12		H	54
F	135	5:12		H	63
G	232	8:12	S	H	27
H	98	8:12	S	H	69
I	290	8:12	S	H	63
J	575	8:12	S	H	57
K	271	5:12		H	105
L	442	5:12		H	9
M	134	8:12	S	H	15
N	64	8:12	S	H	54
O	187	8:12	S	H	48
P	279	8:12	S	H	126
Q	1,303	5:12		H	90
R	598	5:12		H	90
S	186	8:12	S	H	39
T	66	5:12		H	108
U	10	8:12	S	H	54
V	16	8:12	S	H	18
W	80	8:12	S	H	3
X	13	8:12	S	H	60
Y	78	8:12	S	H	84
Z	77	8:12	S	H	30
AA	152	5:12		H	156
AB	183	8:12	S	H	
AC	69	8:12	S	H	60
AD	254	8:12	S	H	81
AE	122	8:12	S	H	21
AF	27	8:12	S	H	33
AG	170	8:12	S	H	21
AH	1,268	5:12		H	114
AI	526	5:12		H	54
AJ	39	8:12	S	H	15
AK	72	8:12	S	H	24
AL	721	5:12		H	57
AM	76	8:12	S	H	3
AN	15	8:12	S	H	18

Slope: (S)teep - (L)ow - (F)lat

Plane	Area(sf)	Pitch	Slope	High	IWB(sf)
AO	9	8:12	S	H	51
AP	95	5:12		H	147
AQ	182	8:12	S	H	39
AR	597	5:12		H	75
AS	1,321	5:12		H	78
AT	61	5:12		H	47
AU	269	8:12	S	H	120
AV	269	8:12	S	H	120
AW	83	5:12		H	51
AX	1,227	5:12		H	60
AY	547	5:12		H	63
AZ	177	8:12	S	H	39
BA	66	5:12		H	108
BB	15	8:12	S	H	18
BC	9	8:12	S	H	51
BD	81	8:12	S	H	6
BE	12	8:12	S		58
BF	721	5:12		H	57
BG	75	8:12	S	H	24
BH	49	8:12	S		66
BI	42	8:12	S	H	15
BJ	531	5:12		H	54
BK	160	8:12	S	H	18
BL	27	8:12	S	H	33
BM	122	8:12	S	H	21
BN	235	8:12	S	H	87
BO	68	8:12	S	H	63
BP	154	5:12			156
BQ	171	8:12	S	H	6
BR	1,288	5:12		H	117
BS	77	8:12	S	H	30
BT	55	8:12	S		72
BU	14	8:12	S	H	66
BV	10	8:12	S		54
BW	77	8:12	S	H	3
BX	19	8:12	S	H	21
BY	95	5:12		H	150
BZ	191	8:12	S	H	39
CA	345	5:12		H	72
CB	455	8:12	S	H	225
CC	74	8:12	S	H	30
CD	283	8:12	S	H	126
CE	1,052	5:12		H	69

Slope: (S)teep - (L)ow - (F)lat

Drawing Key

Eave
Rake Edge
Hip
Valley
Ridge
Flat Drip Edge
Parapet
Coping
Clerestory
Slope Change
Headwall Flashing
Step Flashing
Ice & Water Areas
Flat Slope Area

RoofScope®

Advantage Apartments

Project Totals - Structure 2

Total Roof Area	-	**176.67 SQ**
Standard Slope (4:12-6:12)	-	122.96 SQ
Steep Slope (7:12 or greater)	-	53.71 SQ
High Roof (over 1 story)	-	170.57 SQ
IWB (Ice & Water Barrier)	-	3860.8 SF
Roof Planes	-	62
Structures	-	1
Eave	-	660.0 LF
Rake Edge	-	518.4 LF
Total Perimeter	-	1178.4 LF
Ridge	-	509.9 LF
Hip	-	413.6 LF
Valley	-	846.3 LF
Step Flashing	-	400.4 LF
Headwall Flashing	-	111.0 LF




Waste Factor (Total Roof Area)

4%	-	183.74 SQ	7%	-	189.04 SQ	10%	-	194.34 SQ	13%	-	199.64 SQ
5%	-	185.51 SQ	8%	-	190.81 SQ	11%	-	196.11 SQ	14%	-	201.41 SQ
6%	-	187.27 SQ	9%	-	192.57 SQ	12%	-	197.87 SQ	15%	-	203.17 SQ

THIS REPORT IS FOR ESTIMATION PURPOSES ONLY. VERIFY ALL DIMENSIONS AND TOTALS BEFORE PURCHASING MATERIALS.
THIS REPORT IS THE PROPERTY OF SCOPE TECHNOLOGIES, INC. AND MAY NOT BE REPRODUCED WITHOUT WRITTEN CONSENT.

ScopeTechnologies

Roof Area Analysis - Structure 2
Advantage Apartments



Plane	Area(sf)	Pitch	Slope	High	IWB(sf)
A	84	8:12	S	H	30
B	446	8:12	S	H	219
C	287	5:12		H	60
D	242	8:12	S	H	60
E	30	8:12	S	H	33
F	118	8:12	S	H	3
G	1,273	5:12		H	111
H	122	8:12	S	H	66
I	49	5:12			57
J	116	5:12			102
K	165	5:12		H	6
L	66	8:12	S	H	60
M	244	8:12	S	H	84
N	127	8:12	S	H	21
O	28	8:12	S	H	33
P	168	8:12	S	H	18
Q	470	5:12		H	42
R	39	8:12	S	H	15
S	72	8:12	S	H	24
T	21	8:12	S		30
U	24	8:12	S		39
V	713	5:12		H	54
W	79	8:12	S	H	3
X	14	8:12	S	H	18
Y	8	8:12	S	H	48
Z	105	5:12			156
AA	186	8:12	S	H	39
AB	1,107	5:12		H	132
AC	90	5:12			147
AD	168	5:12		H	39

Slope: (S)teep - (L)ow - (F)lat

Plane	Area(sf)	Pitch	Slope	High	IWB(sf)
AE	79	8:12	S	H	3
AF	14	8:12	S	H	18
AG	8	8:12	S	H	48
AH	729	5:12		H	57
AI	72	8:12	S	H	24
AJ	41	8:12	S		60
AK	39	8:12	S	H	15
AL	516	5:12		H	51
AM	168	8:12	S	H	18
AN	28	8:12	S	H	33
AO	127	8:12	S	H	21
AP	252	8:12	S	H	87
AQ	66	8:12	S	H	60
AR	164	5:12			159
AS	184	8:12	S	H	6
AT	1,294	5:12		H	111
AU	122	8:12	S	H	66
AV	119	8:12	S	H	18
AW	30	8:12	S	H	33
AX	253	8:12	S	H	63
AY	287	5:12		H	60
AZ	455	8:12	S	H	225
BA	74	8:12	S	H	30
BB	1,060	5:12		H	69
BC	283	8:12	S	H	126
BD	84	5:12		H	51
BE	282	8:12	S	H	120
BF	282	8:12	S	H	120
BG	2,464	5:12		H	120
BH	82	5:12		H	51
BI	1,074	5:12		H	69
BJ	274	8:12	S	H	120

Slope: (S)teep - (L)ow - (F)lat

Totals (SQ)		
5:12	-	123.0
8:12	-	53.7
Steep	-	53.7
High	-	170.6

Drawing Key

Eave, Rake Edge, Hip, Valley, Ridge, Flat Drip Edge, Parapet, Coping, Clerestory, Slope Change, Headwall Flashing, Step Flashing, Ice & Water Areas, Flat Slope Area

RoofScope®

Advantage Apartments

Project Totals - Structure 3

Total Roof Area	-	**211.52 SQ**
Standard Slope (4:12-6:12)	-	146.14 SQ
Steep Slope (7:12 or greater)	-	65.39 SQ
High Roof (over 1 story)	-	203.14 SQ
IWB (Ice & Water Barrier)	-	4840.7 SF
Roof Planes	-	72
Structures	-	1
Eave	-	841.8 LF
Rake Edge	-	1066.2 LF
Total Perimeter	-	1908.0 LF
Ridge	-	650.8 LF
Hip	-	331.4 LF
Valley	-	877.0 LF
Step Flashing	-	881.6 LF
Headwall Flashing	-	158.7 LF




Waste Factor (Total Roof Area)

4%	-	219.98 SQ	7%	-	226.33 SQ	10%	-	232.67 SQ	13%	-	239.02 SQ
5%	-	222.10 SQ	8%	-	228.44 SQ	11%	-	234.79 SQ	14%	-	241.13 SQ
6%	-	224.21 SQ	9%	-	230.56 SQ	12%	-	236.90 SQ	15%	-	243.25 SQ

THIS REPORT IS FOR ESTIMATION PURPOSES ONLY. VERIFY ALL DIMENSIONS AND TOTALS BEFORE PURCHASING MATERIALS.
THIS REPORT IS THE PROPERTY OF SCOPE TECHNOLOGIES, INC. AND MAY NOT BE REPRODUCED WITHOUT WRITTEN CONSENT.

ScopeTechnologies

Roof Area Analysis - Structure 3
Advantage Apartments



Plane	Area(sf)	Pitch	Slope	High	IWB(sf)
A	170	5:12			192
B	50	8:12	S	H	48
C	90	5:12		H	48
D	123	5:12		H	57
E	372	8:12	S	H	120
F	273	5:12		H	108
G	440	5:12		H	9
H	131	8:12	S	H	15
I	61	8:12	S	H	51
J	180	8:12	S	H	45
K	228	8:12	S	H	27
L	98	8:12	S	H	69
M	284	8:12	S	H	63
N	520	5:12		H	57
O	283	8:12	S	H	126
P	1,313	5:12		H	75
Q	627	5:12		H	78
R	95	5:12			147
S	188	8:12	S	H	39
T	17	8:12	S	H	33
U	76	8:12	S	H	18
V	1,283	5:12		H	123
W	67	8:12	S	H	30
X	65	8:12	S	H	78
Y	142	5:12			153
Z	173	8:12	S	H	
AA	69	8:12	S	H	60
AB	245	8:12	S	H	78
AC	119	8:12	S	H	18
AD	33	8:12	S	H	36
AE	155	8:12	S	H	18
AF	524	5:12		H	48
AG	45	8:12	S	H	15
AH	79	8:12	S	H	24
AI	714	5:12		H	51
AJ	84	8:12	S	H	18

Slope: (S)teep - (L)ow - (F)lat

Plane	Area(sf)	Pitch	Slope	High	IWB(sf)
AK	22	8:12	S	H	36
AL	195	8:12	S	H	39
AM	598	5:12		H	90
AN	1,331	5:12		H	93
AO	61	5:12		H	47
AP	269	8:12	S	H	120
AQ	501	5:12		H	132
AR	173	8:12	S	H	60
AS	538	5:12		H	57
AT	538	5:12		H	57
AU	164	8:12	S	H	54
AV	1,041	5:12		H	108
AW	275	8:12	S	H	33
AX	38	8:12	S	H	39
AY	131	5:12			156
AZ	247	8:12	S	H	15
BA	1,041	5:12		H	108
BB	275	8:12	S	H	33
BC	38	8:12	S	H	39
BD	131	5:12			156
BE	247	8:12	S	H	15
BF	723	5:12		H	192
BG	542	5:12		H	69
BH	287	8:12	S	H	63
BI	96	8:12	S	H	69
BJ	220	8:12	S	H	27
BK	146	5:12		H	63
BL	88	5:12		H	51
BM	169	5:12			210
BN	50	8:12	S	H	48
BO	369	8:12	S	H	126
BP	271	5:12		H	105
BQ	452	5:12		H	9
BR	229	8:12	S	H	63
BS	96	8:12	S	H	69
BT	145	8:12	S	H	15

Slope: (S)teep - (L)ow - (F)lat

Totals (SQ)		
5:12	-	146.1
8:12	-	65.4
Steep	-	65.4
High	-	203.1

Drawing Key

Eave, Rake Edge, Hip, Valley, Ridge, Flat Drip Edge, Parapet, Coping, Clerestory, Slope Change, Headwall Flashing, Step Flashing, Ice & Water Areas, Flat Slope Area

RoofScope®

Advantage Apartments

Project Totals - Structure 4

Total Roof Area	-	**139.45 SQ**
Standard Slope (4:12-6:12)	-	87.83 SQ
Steep Slope (7:12 or greater)	-	51.61 SQ
High Roof (over 1 story)	-	129.70 SQ
IWB (Ice & Water Barrier)	-	3567.0 SF
Roof Planes	-	53
Structures	-	1
Eave	-	622.5 LF
Rake Edge	-	807.5 LF
Total Perimeter	-	1430.0 LF
Ridge	-	444.4 LF
Hip	-	220.5 LF
Valley	-	577.9 LF
Step Flashing	-	678.4 LF
Headwall Flashing	-	154.0 LF



Waste Factor (Total Roof Area)

4%	-	145.02 SQ	7%	-	149.21 SQ	10%	-	153.39 SQ	13%	-	157.57 SQ
5%	-	146.42 SQ	8%	-	150.60 SQ	11%	-	154.79 SQ	14%	-	158.97 SQ
6%	-	147.81 SQ	9%	-	152.00 SQ	12%	-	156.18 SQ	15%	-	160.36 SQ

THIS REPORT IS FOR ESTIMATION PURPOSES ONLY. VERIFY ALL DIMENSIONS AND TOTALS BEFORE PURCHASING MATERIALS.
THIS REPORT IS THE PROPERTY OF SCOPE TECHNOLOGIES, INC. AND MAY NOT BE REPRODUCED WITHOUT WRITTEN CONSENT.

ScopeTechnologies


Roof Area Analysis - Structure 4
Advantage Apartments

Plane	Area(sf)	Pitch	Slope	High	IWB(sf)
A	170	5:12			195
B	50	8:12	S	H	48
C	88	5:12		H	51
D	146	5:12		H	63
E	360	8:12	S	H	123
F	270	5:12		H	105
G	145	8:12	S	H	15
H	64	8:12	S	H	51
I	198	8:12	S	H	45
J	452	5:12		H	9
K	540	5:12		H	69
L	220	8:12	S	H	27
M	96	8:12	S	H	69
N	287	8:12	S	H	63
O	341	5:12		H	96
P	341	5:12		H	96

Slope: (S)teep - (L)ow - (F)lat

Plane	Area(sf)	Pitch	Slope	High	IWB(sf)
Q	247	8:12	S	H	15
R	131	5:12			156
S	38	8:12	S	H	39
T	18	8:12	S		66
U	275	8:12	S	H	33
V	43	5:12			36
W	50	8:12	S		30
X	275	8:12	S	H	33
Y	38	8:12	S	H	39
Z	131	5:12			156
AA	246	8:12	S	H	
AB	1,757	5:12		H	96
AC	1,765	5:12		H	129
AD	247	8:12	S	H	15
AE	131	5:12			156
AF	38	8:12	S	H	39
AG	275	8:12	S	H	33
AH	275	8:12	S	H	33
AI	38	8:12	S	H	39
AJ	131	5:12			156
AK	247	8:12	S	H	15
AL	341	5:12		H	96
AM	341	5:12		H	96
AN	541	5:12		H	69
AO	287	8:12	S	H	63
AP	96	8:12	S	H	69
AQ	220	8:12	S	H	27
AR	146	5:12		H	63
AS	88	5:12		H	51
AT	170	5:12			195
AU	50	8:12	S	H	48
AV	369	8:12	S	H	126
AW	271	5:12		H	105
AX	452	5:12		H	9
AY	145	8:12	S	H	15
AZ	64	8:12	S	H	51
BA	198	8:12	S	H	45

Slope: (S)teep - (L)ow - (F)lat



Totals (SQ)		
5:12	-	87.8
8:12	-	51.6
Steep	-	51.6
High	-	129.7

Drawing Key


Eave · Rake Edge · Hip · Valley · Ridge · Flat Drip Edge · Parapet · Coping · Clerestory · Slope Change · Headwall Flashing · Step Flashing · Ice & Water Areas · Flat Slope Area

RoofScope®

Advantage Apartments

Project Totals - Structure 5

Total Roof Area	-	**239.32 SQ**
Standard Slope (4:12-6:12)	-	165.03 SQ
Steep Slope (7:12 or greater)	-	74.30 SQ
High Roof (over 1 story)	-	238.70 SQ
IWB (Ice & Water Barrier)	-	6027.2 SF
Roof Planes	-	79
Structures	-	1
Eave	-	1036.0 LF
Rake Edge	-	999.2 LF
Total Perimeter	-	2035.2 LF
Ridge	-	744.1 LF
Hip	-	454.1 LF
Valley	-	1074.9 LF
Step Flashing	-	896.8 LF
Headwall Flashing	-	266.3 LF




Waste Factor (Total Roof Area)

4%	-	248.90 SQ	7%	-	256.08 SQ	10%	-	263.26 SQ	13%	-	270.44 SQ
5%	-	251.29 SQ	8%	-	258.47 SQ	11%	-	265.65 SQ	14%	-	272.83 SQ
6%	-	253.68 SQ	9%	-	260.86 SQ	12%	-	268.04 SQ	15%	-	275.22 SQ

THIS REPORT IS FOR ESTIMATION PURPOSES ONLY. VERIFY ALL DIMENSIONS AND TOTALS BEFORE PURCHASING MATERIALS.
THIS REPORT IS THE PROPERTY OF SCOPE TECHNOLOGIES, INC. AND MAY NOT BE REPRODUCED WITHOUT WRITTEN CONSENT.

ScopeTechnologies

Roof Area Analysis - Structure 5
Advantage Apartments



Plane	Area(sf)	Pitch	Slope	High	IWB(sf)
A	186	5:12		H	198
B	12	8:12	S	H	66
C	56	8:12	S	H	18
D	347	8:12	S	H	117
E	225	5:12		H	117
F	522	8:12	S	H	90
G	98	8:12	S	H	69
H	950	5:12		H	66
I	257	5:12		H	102
J	334	8:12	S	H	63
K	66	8:12	S	H	54
L	1,301	5:12		H	90
M	279	8:12	S	H	126
N	61	5:12		H	47
O	1,235	5:12		H	59
P	266	8:12	S	H	42
Q	598	5:12		H	90
R	95	5:12		H	147
S	16	8:12	S	H	18
T	10	8:12	S	H	54
U	14	10:12	S		60
V	61	8:12	S	H	72
W	77	8:12	S	H	30
X	1,265	5:12		H	114
Y	165	5:12		H	162
Z	718	8:12	S	H	120
AA	73	8:12	S	H	63
AB	27	8:12	S	H	33
AC	526	5:12		H	54
AD	111	8:12	S	H	45
AE	47	8:12	S	H	66
AF	18	10:12	S		70
AG	721	5:12		H	57
AH	258	8:12	S	H	42
AI	15	8:12	S	H	18
AJ	9	8:12	S	H	51
AK	95	5:12		H	147
AL	1,104	5:12		H	117
AM	95	5:12		H	147
AN	15	8:12	S	H	18
AO	9	8:12	S	H	51
AP	258	8:12	S	H	42

Slope: (S)teep - (L)ow - (F)lat

Plane	Area(sf)	Pitch	Slope	High	IWB(sf)
AQ	721	5:12		H	57
AR	18	10:12	S		70
AS	111	8:12	S	H	39
AT	47	8:12	S	H	66
AU	526	5:12		H	54
AV	277	8:12	S	H	36
AW	27	8:12	S	H	33
AX	441	8:12	S	H	84
AY	73	8:12	S	H	63
AZ	160	5:12		H	159
BA	1,268	5:12		H	114
BB	77	8:12	S	H	30
BC	61	8:12	S	H	72
BD	14	10:12	S		60
BE	10	8:12	S	H	54
BF	266	8:12	S	H	42
BG	16	8:12	S	H	18
BH	95	5:12		H	147
BI	598	5:12		H	90
BJ	504	5:12		H	54
BK	98	8:12	S	H	69
BL	522	8:12	S	H	90
BM	225	5:12		H	114
BN	186	5:12		H	195
BO	12	8:12	S	H	66
BP	56	8:12	S	H	18
BQ	347	8:12	S	H	117
BR	257	5:12		H	102
BS	418	5:12		H	9
BT	334	8:12	S	H	63
BU	66	8:12	S	H	54
BV	1,301	5:12		H	90
BW	279	8:12	S	H	126
BX	61	5:12		H	47
BY	282	8:12	S	H	120
BZ	1,305	5:12		H	73
CA	282	8:12	S	H	120

Slope: (S)teep - (L)ow - (F)lat

Totals (SQ)		
5:12	-	165.0
8:12	-	73.7
10:12	-	0.6
Steep	-	74.3
High	-	238.7

Drawing Key


- Eave
- Rake Edge
- Hip
- Valley
- Ridge
- Flat Drip Edge
- Parapet
- Coping
- Clerestory
- Slope Change
- Headwall Flashing
- Step Flashing
- Ice & Water Areas
- Flat Slope Area

RoofScope®

Project Totals - Structure 6

Total Roof Area	-	**82.41 SQ**
Standard Slope (4:12-6:12)	-	2.05 SQ
Steep Slope (7:12 or greater)	-	80.36 SQ
High Roof (over 1 story)	-	24.99 SQ
IWB (Ice & Water Barrier)	-	3095.1 SF
Roof Planes	-	36
Structures	-	1
Eave	-	521.4 LF
Rake Edge	-	424.0 LF
Total Perimeter	-	945.4 LF
Ridge	-	283.3 LF
Hip	-	132.0 LF
Valley	-	252.3 LF
Slope Change	-	25.5 LF
Step Flashing	-	344.8 LF
Headwall Flashing	-	92.3 LF

Advantage Apartments




Waste Factor (Total Roof Area)

4%	-	85.71 SQ	7%	-	88.18 SQ	10%	-	90.65 SQ	13%	-	93.13 SQ
5%	-	86.53 SQ	8%	-	89.00 SQ	11%	-	91.48 SQ	14%	-	93.95 SQ
6%	-	87.36 SQ	9%	-	89.83 SQ	12%	-	92.30 SQ	15%	-	94.77 SQ

THIS REPORT IS FOR ESTIMATION PURPOSES ONLY. VERIFY ALL DIMENSIONS AND TOTALS BEFORE PURCHASING MATERIALS.
THIS REPORT IS THE PROPERTY OF SCOPE TECHNOLOGIES, INC. AND MAY NOT BE REPRODUCED WITHOUT WRITTEN CONSENT.

ScopeTechnologies

Roof Area Analysis - Structure 6
Advantage Apartments



Plane	Area(sf)	Pitch	Slope	High	IWB(sf)
A	27	12:12	S		120
B	57	12:12	S		24
C	1,228	12:12	S		279
D	212	12:12	S	H	66
E	212	12:12	S	H	66
F	151	12:12	S	H	42
G	151	12:12	S	H	42
H	1,294	12:12	S		279
I	42	4:12			51
J	122	4:12			129
K	42	4:12			51
L	178	8:12	S		91
M	224	8:12	S		145
N	561	12:12	S		132
O	386	12:12	S	H	117
P	73	8:12	S		69
Q	145	8:12	S		132
R	74	8:12	S		72
S	371	12:12	S	H	117
T	348	12:12	S	H	
U	34	12:12	S	H	51
V	34	12:12	S	H	51
W	34	12:12	S	H	51
X	34	12:12	S	H	51
Y	789	8:12	S		270
Z	20	8:12	S		9
AA	152	8:12	S		135
AB	20	8:12	S		9
AC	34	12:12	S	H	51
AD	34	12:12	S	H	51
AE	34	12:12	S	H	51
AF	34	12:12	S	H	51
AG	390	12:12	S	H	
AH	41	12:12	S		42
AI	41	12:12	S		42
AJ	612	12:12	S		156

Slope: (S)teep - (L)ow - (F)lat

Totals (SQ)		
4:12	-	2.1
8:12	-	16.8
12:12	-	63.6
Steep	-	80.4
High	-	25.0

Drawing Key

Eave, Rake Edge, Hip, Valley, Ridge, Flat Drip Edge, Parapet, Coping, Clerestory, Slope Change, Headwall Flashing, Step Flashing, Ice & Water Areas, Flat Slope Area